

	L #	Hits	Search Text	DBs
1	L1	53595	server and (wireless or radio)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
2	L2	4584	709/227-229.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
3	L3	65	2 and 455/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
4	L4	11433	1 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
5	L5	1763	2 and (wireless or radio)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
6	L6	594	5 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
7	L7	496	6 and server	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
8	L8	400	7 and address	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
9	L9	46	8 and (sms or msisdn or gsm or gprs)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
10	L10	1098	5 and (session or connect\$3).ti,ab,clm.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
11	L11	979	10 and (session or connect\$3) with (server or wireless or pda or pager or mobile or radio)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
12	L12	40	11 and (wake or waking) near3 up	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
13	L13	430	11 and (register or registration)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
14	L14	24	12 and 13	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
15	L15	325	11 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
16	L16	14	14 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
17	L17	36	3 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
18	L18	576	radio near4 network and packet near4 network and packet near5 protocol and (network or server or service) near5 initiat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
19	L19	528	18 and internet	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
20	L20	150	19 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
21	L21	414	radio near2 network and packet near4 network and packet near4 protocol and (network or server or service) near5 initiat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
22	L22	112	21 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
23	L23	372	radio near2 network and packet near3 network and packet near3 protocol and (network or server or service) near5 initiat\$3	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
24	L24	104	23 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
25	L25	64	24 and activat\$4	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
26	L26	13	25 and push	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
27	L27	38	25 and (gsm or gprs)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
28	L28	2238	packet adj data adj network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
29	L29	267	digital adj2 radio adj2 network	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
30	L30	13	28 and 29	USPAT; US-PGPUB; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
31	L31	64	packet with transfer\$4 near4 data with (server or network) near5 (initiat\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
32	L32	8	30 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
33	L33	40	31 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
34	L34	2	32 and 33	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
35	L35	2439	(server or network) near3 initiat\$3 near3 (session or connection or data near3 transfer)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
36	L36	94	35 and activat\$3 and attach and internet and radio	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
37	L38	51	37 not 26	USPAT; US-PGPUB; EPO; JPO; IBM_TDB
38	L37	51	36 and (@ad<19991008 or @prad<19991008)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB